The Data Access and Dissemination System (DADS) Program: An Overview

Version 4

Date: November 1, 2005

This page has been left blank intentionally.

DRAFT
USCENSUSBUREAU

Table of Contents

1	Introduc	tion	1
	1.1 Cen	sus Bureau	1
	1.2 Orga	anizational Structure	1
	1.3 Serv	vices	2
	1.4 Inter	rnal Partnerships	4
2		on	
		ulation Inputs	
		ulation Outputs	
		ulation Processing	
	2.3.1	Unique Challenges	
	2.3.2	Title 13 Protection	
3		nation	
		Users	
	3.1.1	End User Segmentation	
	3.1.2	End User Support	
		semination Products	
	3.2.1	Data Files	
	3.2.2	Tables	
	3.2.3	Maps	
	3.2.4	Analytical Reports	
	3.2.5	Documentation and Metadata	
		semination Systems	
	3.3.1	American FactFinder System	
	3.3.1.1		
	3.3.1.2		
	3.3.1.3	T - 7	
	3.3.2	Advanced Query System	
4		icture	
		a Product Production System Infrastructure	
		erican FactFinder System Infrastructure	
		anced Query System Infrastructure	
		works	
A	ppenaix A:	Timeline of Product Tabulation and Dissemination by Directorate.	23 24
		Glossary Hardware Purchase Dates - AFF	
		AFF OS/Software Compatibility Matrix	
		Hardware Purchase Dates – DPP	
		DPP OS/Software Compatibility Matrix	
		Hardware Purchase Dates – AQ	
		AQ OS/Software Compatibility Matrix	
\boldsymbol{H}	.ppcnuix 11:	AV Oblibutivate Companium Manix	50

Index of Tables	
Table 1: Survey and Census Data Providers	4
Table 2: Partners in Tabulation and Dissemination	5
Table 3: Census 2000 Microdata Sources	7
Table 4: Characteristics of Tabulation Outputs	8
Table 5: Release of Tabulation Outputs	8
Table 6: End User Segmentation	
Table 7: Number of Tables and Maps in American FactFinder	15
Index of Figures	
Figure 1: Context Diagram	3
Figure 2: American FactFinder System	14
Figure 3: Data Product Production System Hardware Diagram	18
Figure 4: American FactFinder System Hardware Diagram	19
Figure 5: Advanced Query System Hardware Diagram	

1 Introduction

This paper provides an overview of the Data Access and Dissemination Systems (DADS) Program at the United States Census Bureau. The intent of this paper is to describe DADS, its services and resources. The key components of this paper are a description of the organizational context of DADS within the Census Bureau, a detailed description of the services currently provided and the systems DADS has developed and now maintains.

1.1 Census Bureau

The United States Bureau of the Census is a bureau of the U.S. Department of Commerce and is one of several principal federal agencies that provide statistical services. As such, the bureau is charged with providing ongoing measures of the United States population and its economy. In doing so, it supports the economic and political foundations of the country and provides a critical service to the Nation. Therefore, reliable collection, preparation, and dissemination of demographic and economic statistics are vital to the overall mission and strategic goals of the bureau.

Relevant, accurate and timely statistics support decision making at every level of government. They allow for the administration and equitable funding of many federal, state and local programs, and are used to fulfill constitutional and legislative mandates. One example is Article 2, Section 1 of the Constitution that requires an enumeration of the population every 10 years to apportion the seats in the House of Representatives among the states. States use additional data to redraw their legislative districts.

Legislators, policy makers, educators, planners, businesses, non-profit organizations and the general public use statistics collected and disseminated by the Census Bureau on a daily basis and for numerous purposes. Census Bureau measures are part of the fabric of today's information age, including monthly housing starts, new home sales, the monthly unemployment rate, the balance of trade, the poverty rate, construction spending and more.

1.2 Organizational Structure

The Census Bureau is organized into directorates, which are program areas based on function or subject matter as they relate to the design, collection, processing and dissemination of censuses, surveys, projections and estimates. In addition, there are other areas that provide key administrative and infrastructure support. Within directorates, smaller work units referred to as divisions or offices are established based on the more detailed function or subject matter. ¹ DADS is placed organizationally within the

DRAFT Page 1 of 34

¹ See http://www.census.gov/main/www/m-img/orgchart.jpg for the complete organizational hierarchy of the Census Bureau.

Decennial Systems and Contracts Management Office which is under the Decennial Directorate. Currently, DADS provides services to four directorates:

Communications Directorate: Responsible for official news releases, press releases and other notifications of product and data releases; responding to and providing services for the media; and official liaison to the Congress.

Decennial Directorate: Responsible for a decennial census of population and housing for the United States, Puerto Rico and the Island Areas to fulfill constitutional, legislative and programmatic mandates; and for the American Community Survey, a soon to be nationwide, annual demographic survey.

Demographic Directorate: Responsible for numerous demographic surveys to profile and measure the people, housing and institutions of the Nation; compile and release annual population and housing estimates and population projections.

Economic Directorate: Responsible for a quinquennial economic census for the United States, Puerto Rico and the Island Areas as well as numerous annual, quarterly and monthly surveys designed to measure the Nation's economy and provide information on federal, state and local governments.

1.3 Services

DADS provides tabulation and dissemination services. **Tabulation services** refer to the activities related to aggregating data collected on individual responses to a survey or census into summarized statistical data suitable for public release. **Dissemination services** refer to the activities related to internal staging and release of approved statistics to the Internet. These services also include the provision of interim results for other areas of the Census Bureau to process and release in different media and formats, such as, CD-ROM and DVD, File Transfer Protocol (FTP) or Adobe Acrobat (PDF) for printed publications.

Figure 1, Context Diagram describes the roles and interactions of DADS with other areas of the Census Bureau.

The **Survey and Census Data Provider** can be any of the three directorates described in Table 1 below. Each provides inputs of either microdata or summary data, and the associated metadata. These files along with inputs from the **Geographic Data Provider** and the **Product Definer** are used in the tabulation and dissemination of various data products.

The **Geographic Data Provider** provides both tabular and spatial geographic data. Tabular data are used to drive the tabulation process, as well as to complete dissemination products. Spatial data are used for map products.

DRAFT




Figure 1: Context Diagram

The **Product Definer** represents the subject matter experts who provide detailed specifications for the content, structure, presentation and dissemination method for each product that is tabulated or disseminated. Final product design is the result of an ongoing dialogue and consultation with stakeholders and end users of the data.

The **Reviewer** verifies that products are built according to specification, and reviews and clears them for public release. The review is conducted on internal intranet systems in a secure environment by the same subject matter experts who define the products.

The **Product Distributor** assembles the approved products for distribution through the various media: Internet, CD-ROM and DVD, FTP and Adobe Acrobat (PDF). DADS is primarily responsible for the Internet distribution of products and data.

The **End User Intermediary** is the first line of contact for end users. These intermediaries may be call centers, regional offices, and support staff for a wide network of secondary distributors of Census Bureau data and information. DADS provides training and technical support to each. They, in turn, interact with end users of the data.

The **Technology Provider** defines information technology standards and provides personnel and infrastructure resources to support automated dissemination.

DRAFT Page 3 of 34

Table 1 provides a summary of the **Survey and Census Data Providers** currently supported by DADS. In the table, program refers to an established, ongoing data collection activity such as a survey, census or estimate program. Note that this is not a complete list of the data providers or programs of the Census Bureau.

Directorate	Program	Years Supported	Tabulation Services	Dissemination Services
		1990 – United States	No	Yes
		2000 – United States and Puerto Rico	Yes	Yes
Decennial	Decennial Census	2000 – Island Areas	No	Yes
Decemnar		2000 – Puerto Rico (Spanish)	No	Yes
	American Community Survey	1996 forward – United States	No	Yes
Demographic	Population Estimates	2001 forward – United States and Puerto Rico	No	Yes (part)
Demographic	School District Data File	2000 – United States	Yes	No
		1997 – United States	No	Yes (part)
	Economic Census	2002 – United States	No	Yes
	Leonomic Census	2002 – Puerto Rico and Island Areas	No	Yes
Economic	Non-Employer Statistics	2003 forward – United States	No	Yes
	Survey of Business Owners	2002 – United States	No	Yes
	Business Expenditure Survey	2002 – United States	No	Yes

Table 1: Survey and Census Data Providers

Appendix A contains a timeline of the release of the various products for each Directorate and Program. More details on the types of products released by DADS are provided in Section 3.2 Dissemination Products.

1.4 Internal Partnerships

Successful implementation of tabulation and dissemination services depends upon strong partnerships with other key areas of the Census Bureau. These partnerships involve extensive, ongoing communication. Table 2 Partners in Tabulation and Dissemination, lists the directorates that provide services to DADS. The "Roles" column corresponds to the roles depicted in Figure 1 – Context Diagram. The "Major Inputs" column lists the data or services provided by the directorate to DADS. The "Major Outputs" column lists

DRAFT Page 4 of 34

the data or services provided by DADS in support of that directorate. Outputs are delivered either to the supported directorate or to the end-user community on behalf of the supported directorate.

Table 2: Partners in Tabulation and Dissemination

Directorate	Roles	Major Inputs to DADS	Major Outputs from DADS
Communications	 End User Intermediary 	 Guidance and direction on dissemination activities and product design targeted to Congress and the media 	 Staff training and support for outreach activities for the media and general public Web development services and content updates
Decennial Census	 Geographic Data Provider Product Definer Survey and Census Data Provider 	 Geographic data to drive tabulation process, and to complete table and map products Coordination and management of the Decennial products development and release Microdata files and summary files 	 Tabulation and dissemination services for the Decennial Census Dissemination services for the American Community Survey
Demographic	Product DefinerReviewerSurvey Data Provider	 Product specifications and metadata Product review and approval for release Subject matter expertise Summary data 	 Dissemination services for Population Estimates Training of end user call center staff within Demographic Directorate and support of outreach activities Specialized data analysis
Economic	Product DefinerReviewerSurvey and Census Data Provider	 Product specifications and metadata Product review and approval for release Summary data 	Dissemination services for Economic Censuses and Surveys
Field Operations	• End User Intermediary	 Guidance and direction on dissemination activities and product design 	 Training and outreach activities to Census Bureau regional offices
Finance and Administrations	 Product Distributor 	Annual Internet end user satisfaction survey	 Outputs for creation of CD-ROM/DVDs and printed publications Training to end user call center staff within the Marketing Services Office and support of outreach activities

Directorate	Roles	Major Inputs to DADS	Major Outputs from DADS
Methodology and Standards	Technology Provider	 Standards for on-line presentation of statistical data and products Resources for Section 508 testing Resources for system usability testing 	
Information Technology	Technology Provider	 Guidance and standards for systems hardware, software and security Internet dissemination standards Secure hosting for all hardware Telecommunications services 	File outputs for staging on a Census Bureau wide FTP server

2 Tabulation

DADS provides tabulation services for two directorates, the Decennial Directorate and the Demographic Directorate. The Decennial Directorate relies on the Demographic Directorate for product design, subject matter expertise and technical direction (See Table 2 Partners in Tabulation and Dissemination). For Census 2000, DADS created all major data products. DADS will be responsible for the same tasks for the 2010 Census.

DADS also creates special tabulations of decennial census data when requested. Special tabulations are not standard Census Bureau data products and are generally sponsored by other public or private organizations.(add footnote 3) For example DADS created a school district data file based upon Census 2000 data for the Demographic Directorate.

2.1 Tabulation Inputs

In 2000, the decennial census employed a short-form questionnaire² to collect information about every housing unit and group quarters and every person in the United States, Puerto Rico and the Island Areas. The output of that effort was a microdata file, the Hundred Percent File. In addition, the census employed a long-form questionnaire³ to collect information from a sample of housing units and group quarters. The output of that effort was a second microdata file, the Sample File. Table 3 Census 2000 Microdata Sources below provides some basic and approximate information on the sizes of these microdata files. In 2010, the American Community Survey will replace the long-form survey.

DRAFT

Page 6 of 34

² See http://www.census.gov/dmd/www/pdf/d61a.pdf.

³ See http://www.census.gov/dmd/www/pdf/d02p.pdf.

Microdata Source		Number of Records	Number of Fields
	Block	8,262,363	63
	Housing Unit	117,323,117	40
Hundred Percent File	Person in Housing Unit	277,405,109	77
	Group Quarters	192,286	7
	Person in Group Quarters	7,825,407	88
	Block	8,262,363	63
	Housing Unit	18,566,660	152
Sample File	Person in Housing Unit	43,166,083	234
	Group Quarters	138,604	15
	Person in Group Quarters	880,579	234

Table 3: Census 2000 Microdata Sources

DADS received the Hundred Percent and Sample microdata files along with geographic input files from the Decennial Directorate. From these inputs, DADS produced a collection of summary files containing aggregate data (counts, sums, means, medians, ratios and other measures) structured in a tabular format. In all, DADS produced eight major summary file products for Census 2000. Table 4 Characteristics of Tabulation Outputs and Table 5 Release of Tabulation Outputs contain basic but approximate information about each of these outputs. Extensive documentation for each summary file is available in American FactFinder.⁴

In most instances, tabulations were performed on a state-by-state basis with a subsequent effort to prepare results for geographic areas (such as Metropolitan Statistical Areas) that cross state boundaries. Depending on the size and complexity of the product, the tabulations for a single summary file may have taken two to four months. For example, Summary File 2 required a longer production and release schedule than Summary File 1 because it iterated tables on 249 population groups

2.2 Tabulation Outputs

The data provided in Table 4 Characteristics of Tabulation Outputs suggest the enormous volume of Census 2000 tabulation process outputs. The "Geographies" column lists the number of distinct spatial units over which data are tabulated (e.g. state, county, place). The "Iterations" column lists the number of population groups over which data is tabulated (e.g. Asian, Apache). The Census 2000 product contains a table associated with each base table, each geography, and each iteration. Hence, multiplying the values in the three columns, Geographies, Base Tables, and Iterations, provides an upper bound on the number of tables that are created for the product. The actual number of tables disseminated with the product may be less then this upper bound because of disclosure

DRAFT Page 7 of 34 SOLICITATION NO.

YA132306RP0001

⁴ See http://factfinder.census.gov/servlet/MetadataBrowserServlet?type=all&id=program&_lang=en for links to technical documentation. See http://factfinder.census.gov/servlet/DatasetMainPageServlet? program=DEC& lang=en& ts= for definitions of the products.

rules that exclude data derived from small populations. These disclosure rules prevent the release of confidential information.

Microdata Source	Census 2000 Product	Geographies	Base Tables	Table Cells	Iterations
	Redistricting Data Summary File	9,951,705	4	288	1
Hundred	Summary File 1	9,891,699	286	8,125	1
Percent File	Summary File 2	783,774	47	825	250
	109th Congressional District 100% Summary File	156,440	286	8,113	1
	Summary File 3	1,925,001	813	16,534	1
	Summary File 4	837,407	323	7,880	336
Sample File	109th Congressional District Sample Summary File	158,440	813	16,534	1
	American Indian and Alaskan Native Summary File	862	323	7,880	1,257

Table 4: Characteristics of Tabulation Outputs

Table 5 Release of Tabulation Outputs provides an estimate of the number of months required to produce each of the Census 2000 products. This table also contains an estimate of the number of files, which are included in each product. A file is defined as a collection of data, usually consisting of several cross-tabulations and tables.

Census 2000 Product	Number of Files	Production Start	Months in Production
Redistricting Data Summary File	156	Jan-01	1
Summary File 1	2,100	May-01	3
Summary File 2	33,142	Nov-01	4
Summary File 3	4,081	Jul-02	1
Summary File 4	358,314	Apr-03	2
109th Congressional District 100% Summary File	2,080	Dec-02	1
109th Congressional District Sample Summary File	4,004	Dec-02	2
American Indian and Alaskan Native Summary File	41,231	Jul-03	2

Table 5: Release of Tabulation Outputs

2.3 Tabulation Processing

DADS developed the Data Product Production (DPP) system to perform the tabulations required by Census 2000. The system was built around a commercial, off-the-shelf software package, SuperSTAR from Space-Time Research, which served as the core

DRAFT

Page 8 of 34

tabulation engine. Although the system was used for all tabulation products, the timing of receipt of detailed product specifications and requirements unique to each product typically required system modifications prior to each major tabulation initiative. Quality requirements dictated strict configuration management controls and extensive testing. Outputs were examined both by automated processes and analysts who manually reviewed the data using an internal, protected version of American FactFinder.

2.3.1 Unique Challenges

The summary file products produced for Census 2000 are complex products. The technical documentation for Summary File 3 alone runs to more than 1,250 pages. Among the greatest challenges of the tabulation undertaking are the complexity of geographic hierarchies, the uniqueness of some statistical measures that must be applied, the volume and complexity of the data that must be managed in processing, the overlay of techniques to protect the confidentiality of census respondents, and the demands of quality assurance.

Within each summary file product, a predefined set of counts, sums, means, medians and other aggregate values must be computed for some subset of the more than 10 million geographic areas for which the decennial census prepares results. These geographic areas are related hierarchically and there are numerous independent hierarchies⁶. Although most of the aggregate calculations made in the course of preparing a summary file involve commonly used statistical techniques, some involve techniques rarely used outside the Census Bureau. The challenges posed by these exceptions can be considerable.

The sheer number of calculations that must be performed and the management of those unique results contribute substantially to the difficulty of the tabulation effort. Frequently, the complexity of the result may require the preparation of many intermediate products. For example, more than 17 million intermediate files were produced to complete the tabulation of Summary File 4. The sheer volume of data that must be managed proves a continual challenge.

The Census Bureau demands high accuracy in its tabulation activities. Efforts to achieve this objective require extensive quality assurance activity. Significant components of both a tabulation system and intermediate tabulation products are created specifically and only for the purposes of quality control.

2.3.2 Title 13 Protection

Title 13 of the United States Code protects all data collected by the Census Bureau and guarantees the confidentiality of census information. There are strict rules for the

Page 9 of 34

DRAFT

⁵ The technical documentation for Summary File 3 can be found at http://www.census.gov/prod/cen2000/doc/sf3.pdf.

⁶ A description of geographies can be found at http://www.census.gov/geo/www/reference.html.

handling of data and penalties for any disclosure. In addition, the Census Bureau uses statistical methods throughout the processing cycle to guarantee confidentiality of the data. Among the techniques applied to Census 2000 products were substitution of a specified fixed value for any result that might reveal confidential information, rounding of sums and rule-based suppression of results for individual geographies.

Dissemination

DADS disseminates data and information over the Internet from its site at http://factfinder.census.gov/. Other areas of the Census Bureau also disseminate data via the Internet and other dissemination mechanisms. The central site for dissemination by the Census Bureau is http://www.census.gov/. DADS also provides intermediate products to other organizations within the Census Bureau for assembly and publication via other media, both electronic and print.

3.1 **End Users**

Achievement of Census Bureau strategic goals requires a continuous improvement process to meet the ever-changing needs of end users by enhancing data products, services and dissemination. In response, DADS routinely monitors user satisfaction through an online Internet survey, attendance at stakeholder meetings, system feedback and email, and contacts with various end user call centers throughout the country. DADS also analyzes Internet survey results to categorize and better understand end users.

3.1.1 End User Segmentation

End users of Census Bureau data and information range from school age children to social scientists. Their questions range from the simplest, such as "What is the population of my town?" to requests for detailed time trend analyses to support policy decisions. In the past, end users were typically categorized according to occupation, such as government, businesses, libraries, and academia. With the advent of Internet dissemination, DADS now segments users based on behavioral and other criteria including:

- Types of queries or data products requested, and
- Prior knowledge and understanding of Census Bureau data and products.

Table 6 End User Segmentation delineates four basic end user segments, Surfers, Portrayers, Manipulators, and Extractors based on end user surveys. .

Knowledge of Relevance of Computer **Segment Priority Goal Products and** Data to Job Expertise Data Quickly understand Surfers Little to none None Varies purpose, function and

Table 6: End User Segmentation

DRAFT SOLICITATION NO. Page 10 of 34

Segment	Priority Goal	Knowledge of Products and Data	Relevance of Data to Job	Computer Expertise
	content of the site			
Portrayers	Quick answers to basic questions	Minimal to knowledgeable	Need data for work/study	Medium/Low
Manipulators	Perform queries and cross tabulations	Experienced	Major component	High
Extractors	Download/extract data for further analysis	Experienced to expert	Primary component	High

DADS has adopted an approach of providing services and products targeted towards each segment. This means organizing content and developing functions that satisfy the various needs and goals of each segment.

3.1.2 End User Support

DADS supports end users in a number of ways:

Feedback: Each public system allows end users to send in questions and comments. DADS answers these questions and uses them to monitor problems and issues with the system. Suggestions for new functions and corrections to the system are made based on this feedback.

Training: DADS provides training for end user support staff on DADS dissemination systems. The support staff trains and educates the public on the use of the dissemination systems and products. Ongoing support in the form of briefings and seminars are provided to the end user support staff as the DADS systems are updated and new major products are released. Release notes and product announcements are also placed online for the general public access.

System Help: Context sensitive tips and instruction, frequently asked questions, online tutorials, and glossary entries have been developed to provide end user self-help.

The public expects the DADS dissemination systems to be available 24 hours a day, 7 days a week unless otherwise announced. Every effort is made to meet that expectation. System maintenance is scheduled to avoid core business hours whenever possible.

3.2 Dissemination Products

The Census Bureau disseminates a spectrum of products providing data and information to end users including data files, tables, maps, analytical reports and documentation.

DRAFT

Page 11 of 34

3.2.1 Data Files

Data files are collections of data designed for computer manipulation. They are typically accompanied by documentation or metadata detailing the content and format of the files.

The Census 2000 Summary File 1 is a set of 2,100 data files. The content of Summary File 1 includes 286 cross-tabulated tables prepared for each of approximately 10 million geographies, divided into state and national components and further subdivided into files of manageable size.

3.2.2 Tables

Tables are collections of data systematically arranged in rows and columns with appropriate titles, column headers, row labels and other text to fully identify the table and each value. Tables are generally designed for viewing. Subject matter experts define the content, structure and format of each table.

Numerous tabular products, including profiles and geographic comparison tables, are not the direct result of the tabulation but are constructed using data extracted from other tabular products. Although users may be unaware of the distinction, the **base tables** that result from tabulation are used to construct **derived tables** that may further aggregate or modify the presentation of that data. The tables of the Census 2000 Summary File 1 are considered base tables, while the profiles, quick tables, and geographic comparison tables associated with the same summary file are all derived from the 286 base tables of Summary File 1.

3.2.3 Maps

Like tables, maps are products meant for viewing. **Reference maps** graphically describe the bounds of geographies used in tabulation. They typically include orienting features such as roads and water bodies in addition to geographic boundaries. **Thematic maps** help users visualize geographic patterns in data. The most commonly used thematic map is the choropleth map, in which each geographic area is colored or shaded based on an associated data value. Examples of reference and thematic maps can be found in American FactFinder.

3.2.4 Analytical Reports

Analytical reports are typically published reports containing narrative description with supporting tables, maps and charts providing information on a particular topic. They may appear in both print and electronic media. The electronic versions of these reports may be disseminated over the Internet. The Reference Shelf in American FactFinder provides links to numerous analytical reports. The Census 2000 Briefs series provides many excellent examples.

DRAFT

3.2.5 Documentation and Metadata

Documentation and metadata provide information to clarify the meaning of data. Each may provide information on data collection instruments, data processing procedures, data accuracy, the meaning of terms and concepts, the interpretation of coding schemes, and a host of similar topics. The technical documentation for major products such as Census 2000 Summary File 1 is typically a published document made available in electronic form. Metadata is structured and stored as data. An example of metadata can be seen by clicking the hyperlinked title of any table in American FactFinder.

3.3 Dissemination Systems

This section describes the systems that DADS currently maintains to provide dissemination services.

3.3.1 American FactFinder System

The American FactFinder system was developed and is maintained to provide Internet dissemination of Census Bureau data and information. The system supports three distinct web sites: American FactFinder, FastFacts for Congress, and American Indian and Alaskan Native Data and Links. The system allows Internet users to locate, select and view or download data files, tables, maps, analytical reports and documentation from each of these three web sites. The system delivers results in English and on a limited basis in Spanish.

Figure 2 American FactFinder System details the application architecture of American FactFinder. The system employs a three-tier architecture. Web servers running IBM HTTP Server and supported by an IBM Edge Server (Network Dispatcher) Load Balancer comprise the first tier. Application middleware, hosted in an IBM WebSphere Application Server container, consisting of custom Java and ESRI ArcIMS (Internet Mapping Server) software, comprises the second tier. The third tier contains the American FactFinder Data Warehouse, metadata and spatial data using Oracle 9i and ESRI ArcSDE (Spatial Data Engine). The data housed in the Data Warehouse is detailed in Table 7 Number of Tables and Map in American FactFinder.




Figure 2: American FactFinder System

The American FactFinder⁷ web site draws upon all of the data and information within the American FactFinder data warehouse and provides links to related resources available from other Census Bureau providers as well as other members of the federal statistical community. Table 7 Number of Tables and Maps in American FactFinder provides information on the number of products maintained in the American FactFinder data warehouse. The warehouse also includes more than 500 layers of spatial data covering the United States, Puerto Rico and the Island Areas.

DRAFT

⁷ See http://factfinder.census.gov/

Number⁸ Directorate **Years Supported Program** Base Derived Data Map **Tables Tables** Sets **Themes** 1990 – United States 402 8 134 2000 – United States and 8 2903 1178 618 Puerto Rico Decennial Census 2000 – Island Areas 4 1684 0 0 Decennial 2000 – Puerto Rico 4 978 287 1760 (Spanish) 1996 forward – United American Community 19 8700 253 81 Survey States 2001 forward – United 5 Demographic **Population Estimates** 10 43 20 States and Puerto Rico 1997 – United States 332 5 332 85 2002 – United States 356 356 9 180 **Economic Census** 2002 – Puerto Rico and 95 95 0 0 Island Areas 2002 forward – United Non-Employer Economic 4 4 0 0 Statistics States Survey of Business 2002 – United States TBD TBD **TBD** TBD Owners **Business Expenditure** 2002 – United States 6 6 0 0 Survey Annual Survey of 2003 forward – United 23 12 0 0 Manufacturers States

Table 7: Number of Tables and Maps in American FactFinder

FastFacts for Congress⁹ was launched at the start of the 108th Congress. FastFacts for Congress provides a customized interface that parallels the American FactFinder interface, but is focused on the special needs of Congress. The American Indian and Alaskan Native Data and Links¹⁰ web site focuses on the user community interested in data and information on American Indians and Alaskan Natives. This web site consists of only a handful of static pages providing links to other resources including American FactFinder table results.

American FactFinder developers use Virtual Table Generator, a custom desktop tool, to create and review derived table shells. The Virtual Table Generator accepts format and sourcing specifications for a derived table and creates a table shell showing the table columns, rows, text, and rules for populating each derived table cell from base table data. Once this intermediate output has been reviewed, corrected, and approved, the Virtual

DRAFT

Page 15 of 34

⁸ Represents the number of unique base tables, derived tables and map themes released through American FactFinder. Each table or map can be produced for a large number of geographic areas.

⁹ See http://fastfacts.census.gov/home/cws/main.html

¹⁰ See http://factfinder.census.gov/home/aian/index.html.

Table Generator outputs metadata files used by the American FactFinder system to create derived tables.

The Printed Report PDF Generator, an application maintained by Fenestra Technologies Corporation, allows developers to use the American FactFinder system to create tabular output that meets publication quality design standards in PDF format. The PDF Generator takes an XML file together with additional page-specific formatting information and creates a publication quality PDF file. The XML input file, created by custom code, consists of American FactFinder tabular data and table shells produced by the Virtual Table Generator. The PDF Generator was used to produce thousands of pages of tables for Census 2000 printed reports. The PDF outputs were delivered to an integrator for further document assembly before being delivered to the printer.

3.3.1.1 Environments

Operation of the American FactFinder System requires multiple environments allowing different work efforts to move forward in parallel. Each environment has a unique combination of tabular data store, metadata store, spatial data store, and software release. Many of the environments exist virtually, with a given component (e.g., development metadata store) being used by more than one environment. Following is a brief description of each American FactFinder environment:

Development: Dedicated to the coding and unit testing phases of American FactFinder software development.

Product Assurance: Dedicated to the system-testing phase of American FactFinder software development.

Internal Review: For product definer review of data and its presentation prior to data deployment and/or software release.

External Review: An area of the external system, hidden from public view, used to verify success of deployment steps as they are executed in real-time.

External Production: The publicly available environment for all American FactFinder system web sites.

3.3.1.2 Release Schedule

For the American FactFinder system, a typical year includes two to three major software releases. Release timing and content is largely driven by the functional needs of new data deployments, along with current commitments to improve general functionality. For some data deployments, no software release is required, because the existing functionality satisfies all requirements. Additionally, limited updates to static content do not require a software release.

DRAFT

3.3.1.3 Data Deployments

The schedule of American FactFinder data deployments is highly variable, reflecting the fluctuating rate at which data tabulations are produced by the various programs. In 2003, eight data sets were released on American FactFinder with several requiring phased releases resulting in 23 separate deployments. Phases of release for a single data set may span months. Some typical release strategies include:

By geographic area: For Census 2000 Summary File 4, data for several states were released each week, with nation-level geographies crossing state lines included in the final week's release.

By geographic type: For the annual Population Estimates Program data set, data were first released for the nation and for states, next for counties, and finally for cities and towns.

By table: For the annual American Community Survey data set, data are first released for core tables covering basic subject characteristics, and several months later for non-core tables that cover the same subject characteristics but iterated for major race groups.

3.3.2 Advanced Query System¹²

The Advanced Query system allows Internet users to construct queries based on data available in Census 2000 microdata files. The resulting queries must be compliant with strict rules for query construction that serve as part of a series of restrictions guarding the confidentiality of the underlying data. Compliant queries are run against Census 2000 microdata files, returning results to the application. If the results can pass a series of stringent filters, they are returned to the users who requested them. Query processing and results filtering are accomplished in real time. Information on the methodology used to protect against disclosure in Advanced Query is detailed in the paper *American FactFinder: Disclosure Limitation for the Advanced Query System.*¹³

Advanced Query is a MicroStrategy® application working with a highly optimized deployment of the Census 2000 microdata in an IBM DB2 database. Microsoft® Windows 2000 based MicroStrategy® Web Servers on the Internet communicate across a security firewall with MicroStrategy® Intelligence Servers deployed in a protected zone. The Intelligence Servers in turn communicate with database servers deployed in the protected zone. Access to Advanced Query is password protected.

Currently, the future of Advanced Query remains under evaluation. During this evaluation period, the system is available to a limited number of end users. End users are supported by training, extensive documentation including guides and tutorials, and

_

DRAFT Page 17 of 34

¹¹ See Appendix A for a timeline of data deployments.

¹² See http://advancedquery.census.gov/Login.asp.

¹³ See http://www.census.gov/srd/sdc/AdvancedQuerySystem.pdf.

response to feedback. Updates and improvements to the system occur on an occasional basis.

4 Infrastructure

4.1 Data Product Production System Infrastructure

The Data Product Production system comprises two distinct hardware subsystems dedicated to development and production respectively. The infrastructure is detailed in Figure 3 Data Product Production System Hardware Diagram.

- The Data Product Production **development** system consists of an IBM S80 server with 8 CPUs and 16 gigabytes RAM.
- The Data Product Production **production** system consists of an IBM M80 server with 24 CPUs and 96 gigabytes RAM. At the height of decennial processing, two additional servers were needed to process the data. The additional machines were IBM p680 Unix servers with 24 processors and 96 gigabytes RAM, which were attached to 18 terabytes of storage on an IBM Enterprise Storage Server.

The two Data Product Production systems share a 5.7 terabyte IBM Enterprise Storage Server system. All systems run under the IBM AIX operating system.




Figure 3: Data Product Production System Hardware Diagram

4.2 American FactFinder System Infrastructure

The American FactFinder system comprises three distinct hardware subsystems; development, internal review, and production. The infrastructure is detailed in Figure 4 American FactFinder System Hardware Diagram.




Figure 4: American FactFinder System Hardware Diagram

• The American FactFinder **development** subsystem is accessible on the Census Bureau intranet and is used to develop and test new application code against test data and metadata. This subsystem consists of one IBM SP system with a control workstation and a single node and a second IBM SP system with a control workstation and three p630 nodes. Each node has 2 CPUs and 4 gigabytes RAM.

DRAFT Page 19 of 34

- The American FactFinder **internal review** subsystem is accessible on the Census Bureau intranet and is used both for testing software and reviewing Census Bureau data and metadata before it is released to the public. This subsystem consists of a three node IBM SP with a control workstation, one p630 node, and two p680 nodes. The p630 node contains 2 CPUs and 4 gigabytes RAM. The two p680 nodes have 6 CPUs and 20 gigabytes RAM each.
- The American FactFinder **production** subsystem is accessible on the Internet and is used for public dissemination of products and information. This subsystem consists of four stand-alone systems and one IBM SP system. The four stand-alone systems sit in front of the IBM SP system. Each stand-alone system consists of one p615 node. The IBM SP system consists of one control workstation and four p680 nodes. Two of the p680 nodes have 12 CPUs and 40 gigabytes of RAM; the other two p680 nodes have 24 CPUs and 96 gigabytes of RAM. Behind the system are two IBM RS/6000 servers for additional web services when the American FactFinder system is either busy or unavailable.

All of the SP systems run the IBM AIX operating system. There are 2 IBM Enterprise Storage Servers (ESS). The production ESS contains 13 terabytes of storage. The development and internal review systems share a second ESS containing 5.7 terabytes of storage.

The Virtual Table Generator runs on a Novell shared network drive.

The Printed Report PDF Generator runs on a Dell XEON 2.00 GHz processor with 3 gigabytes RAM. A backup machine is configured with the same characteristics and is used if the primary machine is unavailable.

4.3 Advanced Query System Infrastructure


The Advanced Query system comprises three distinct hardware subsystems: development, internal production, and production. The infrastructure is detailed in Figure 5 Advanced Query System Hardware Diagram.

- The Advanced Query **development** subsystem consists of two IBM NetFinity servers. One server is used for web services and the other as an intelligence server. One IBM 6H1 server with 4 CPUs and 16 gigabytes of RAM is used for the backend Oracle database server.
- The Advanced Query **internal production** subsystem is accessible on the Census intranet and uses one NetFinity server as a web server and one NetFinity server as an intelligence server. Both the IBM 6H1 and the IBM p680 servers, listed above, serve as the backend database server.

DRAFT

Page 20 of 34

The Advanced Query production subsystem is accessible on the Internet and consists of three IBM NetFinity servers used as web servers. Three IBM NetFinity servers are used as intelligence servers. One IBM p680 server with 24 CPUs and 96 gigabytes RAM running Oracle RDBMS acts as the backend database server. All storage is IBM Serial Storage Architecture (SSA) RAID 5 drives.






Figure 5: Advanced Query System Hardware Diagram

4.4 Networks

All systems are housed in the Bowie Computer Center in Bowie, Maryland and all are connected to the Census Bureau intranet. Systems connected to the Internet use a Census Bureau dedicated Internet service provider connection. The Census Bureau Information Technology Directorate provides network devices and firewall hardware.


Page 21 of 34

DRAFT

The SP systems use an IBM SP switch (150 megabyte, low latency, point to point) network running PSSP software. Virtual shared disk software, also part of the PSSP software suite, runs under the Oracle RDBMS and provides fault tolerant redundancy.

Development and operations are conducted from a single location in the Suitland Federal Center in Suitland, Maryland. High-speed networks connecting the Suitland Federal Center and the Bowie Computer Center serve as the link between the operations staff and the physical systems. For the most part, the hardware functions in a lights-out environment. Most of the interaction between operators and hardware occur when tapes are taken offsite for disaster recovery storage or when hardware upgrades and maintenance are required. All systems are backed up using IBM LTO and 3590 tape storage libraries. Separate storage libraries are maintained for systems on the Census Bureau intranet and systems on the Internet.

Appendix A: Timeline of Product Tabulation and Dissemination by Directorate



DRAFT

Page 23 of 34

SOLICITATION NO.

YA132306RP0001

Appendix B: Glossary

Term	Definition
Census	A complete enumeration, usually of a population, but also of businesses
	and commercial establishments, farms, governments, and so forth.
Customer	Any Census Bureau directorate requiring services from the Data Access
	and Dissemination Office.
Data Provider	Any Census Bureau organization making Census Bureau data available
	to the Data Access and Dissemination Office for use in tabulation or
	dissemination activities.
Data Set	An abstraction used to refer to a collection of products. These
	collections are typically related to a single tabulation output.
Decennial Census	The census of population and housing, taken by the Census Bureau in
	years ending in 0 (zero). Article I of the Constitution requires that a
	census be taken every ten years for the purpose of reapportioning the
	United States House of Representatives.
Dissemination	The term is used broadly to refer to any activity following the
	completion of tabulation activities that contributes to putting Census
	Bureau data and information in the hands of end-users.
Economic Census	Collective name for the censuses of construction, manufactures,
	minerals, minority- and women-owned businesses, retail trade, service
	industries, transportation, and wholesale trade, conducted by the Census
	Bureau every five years, in years ending in 2 and 7.
End User	Anyone, either within or without the Census Bureau, who uses
	associated Census Bureau data and information.
End User Intermediary	The first line of contact for end users who need assistance in using and
	understanding dissemination products.
Geographic Data Provider	Internal partners who provide geographic tabular and spatial data and
	metadata to support tabulation and dissemination.
Geography	Any spatial unit used by the Census Bureau for data collection and
	tabulation. The spatial unit may be formed by legal or statistical
	boundaries. Examples are states, counties, places, county subdivisions,
	census tracts and census blocks.
	An instance of a spatial unit. For example, Alaska or Middlesex County,
	Connecticut.
Internet User	Any end-user who gains access to Census Bureau data and information
-	using the Internet.
Intranet	The local and wide-area network maintained by the Census Bureau for
	internal use. In this paper, the term does not connote exclusive use of
7.1	the HTTP protocol.
Island Areas	Refers to the following United States territories and protectorates:
	Virgin Islands of the United States, Guam, Commonwealth of the
NC 1	Northern Mariana Islands, and American Samoa.
Microdata	A collection of data reflecting responses taken from individual data
D. 1.C. E.C.	collection instruments.
Population Estimate	Population estimates are basic population counts released between
	decennial censuses. Population estimates are released as of July 1 for
Deve led an David	each year.
Population Projection	Population projections are estimates of future counts of the resident
D 1 .	population, families and households
Product	A term used broadly to refer to any Census Bureau sponsored output of
	Census Bureau data or information.

DRAFT

Page 24 of 34

Term	Definition
Product Definer	Any member of a team of individuals responsible for determining the
	characteristics of a product, including content and format.
Product Distributor	A Census Bureau organization responsible for activities related to both
	the production and distribution of Census Bureau data and information
	for products requiring physical distribution, such as products made
	available on optical media or in print.
Product Specification	A document providing detailed description of the outputs of a tabulation
	or dissemination activity.
Program Sponsor	Any Census Bureau organization directly responsible for a census,
	survey, estimate or projection.
Reference Map	Maps that graphically describe the bounds of geographies used in
	tabulation.
Reviewer	Typically, a statistician or analyst responsible for examining the outputs
	of tabulation or dissemination activities for quality control purposes.
Summary Data	Summary data is a collection of data containing only aggregate
	representations (counts, sums, medians, means, etc.) of the contents of a
	microdata source.
Survey	A data collection activity involving observation or questionnaires for a
	sample of a population.
Survey and Census Data	Internal customers who provide census and survey results for tabulation
Provider	or dissemination.
Tabulation	A collection of activities required to produce summary data from
	microdata.
Thematic Map Maps that are used to visualize geographic patterns in data by co	
	or shading each geographic area based on an associated data value.
United States	The 50 states and the District of Columbia.

Appendix C: Hardware Purchase Dates - AFF

	Purchased
	In
	(Mo/Yr)
AFF Production	
P680 24w (Qty 2)	8/2001
P680 12w (2)	8/2001
P615 (4)	12/2003
Enterprise Storage F20	4/2002
Tape Library (3494/L12 & /D12)	8/2001
Tape Drive (3590)	8/2001
Fiber Switches (storage) 2109s	8/2000
S16	
AFF Internal Review	
P680 6w (2)	8/2001
P630 2w	12/2003
Enterprise Storage M800	2/2004
Tape Library (3494/L12 & /D12)	12/1999,
	8/2000
Tape Drive (3590)	12/1999,
	10/2000
AFF Dev/Test	
P630 2w (3)	12/2003
AFF Sandbox	
P630 2w	10/2003
P615	10/2003

Appendix D: AFF OS/Software Compatibility Matrix

Current Products	EOS Date	AIX 5.1	AIX 5.2	AIX 5.3	Oracle 9i	Oracle 10g
AIX 5.1	1-Apr-2006	N/A	N/A	N/A	Yes	No
Parallel System Support Prog (PSSP) V3.5	1-Sep-2007	Yes	Yes	No	Yes	No
Tivoli Storage Manager (TSM) V5.2	Not Announced	Yes	Yes	Yes	N/A	N/A
Oracle 9i	1-Jul-2007	Yes	Yes	Yes	N/A	N/A
WebSphere Application Server V5.1.1	Not Announced	Yes	Yes	Yes	Yes	Yes (1)
DB2 Universal Database V8.1.3 (used by						
WebSphere for persistent sessions)	Not Announced	Yes	Yes	Yes	N/A	N/A
WebSphere Studio Appl. Server V 5.1.2	Not Announced	N/A	N/A	N/A	Yes	Yes (2)
Rational ClearCase V2003.06.13	Not Announced	Yes	Yes	Yes	N/A	N/A
Rational ClearQuest V2003.06.13	Not Announced	Yes	Yes	Yes	Yes	Yes
IBM Directory Server V5.2	Not Announced	Yes	Yes	No	N/A	N/A
ARCIMS V9.1	Not Announced	Yes	Yes	Yes	N/A	N/A
ARCSDE V9.1	Not Announced	Yes	Yes	Yes	Yes	Yes
NOTE:						
1. The support for Oracle 10g under WAS v	5.1will be availabl	e in future ma	intenance up	grade (e.g., Fixl	Pack 2).	
2. Dependent on Note 1.						
Future Products	EOS Date	AIX 5.1	AIX 5.2	AIX 5.3	Oracle 9i	Oracle 10g
AIX 5.2	1-Sep-2007	N/A	N/A	N/A	Yes	Yes
AIX 5.3	Not Announced	N/A	N/A	N/A	Yes	Yes
Cluster Systems Management (CSM) V1.4	Not Announced	No	Yes	Yes	N/A	N/A
General Parallel File System (GPFS) V2.3	Not Announced	No	Yes	Yes	N/A	N/A
Oracle 10g	Not Announced	No	Yes	Yes	N/A	N/A

Appendix E: Hardware Purchase Dates - DPP

	Purchased
	In
	(Mo/Yr)
Current DPP Systems	
Production - P680 12w	12/1999
Dev/Test – M80 4w	8/2000
Enterprise Storage M800	8/2000
SSA Disk System (7133/D40)	12/1999,
	4/2002
Tape Library & Drives (3584)	4/2002
Fiber Switches (storage) 2109s	8/2000
S16	

Appendix F: DPP OS/Software Compatibility Matrix

Current Products	EOS Date	AIX 4.3.3	AIX 5.1	AIX 5.2	AIX 5.3	SuperCROSS V23	SAS V8.2
AIX 4.3.3	31-Dec-2004	Yes	N/A	N/A	N/A	Yes	Yes
SuperCROSS V23	Not Announced	Yes	No	No	No	N/A	N/A
SAS V8.2	Not Announced	Yes	Yes	Yes	Yes	N/A	N/A
PERL Scripts	Not Announced	Yes	Yes	Yes	Yes	N/A	N/A
IBM Team Connection	1-Jan-2002	Yes	No	No	No	N/A	N/A
Tivoli Storage Manager (TSM) V5.2	Not Announced	Yes	Yes	Yes	Yes	N/A	N/A
	-					•	
Future Products	EOS Date	AIX 5.1	AIX 5.1	AIX 5.2	AIX 5.3	SuperCROSS next	SAS V8.2
						vorcion	
						version	
AIX 5.1	1-Apr-2006	N/A	N/A	N/A	N/A	No	Yes
AIX 5.1 AIX 5.2		N/A N/A	N/A N/A	N/A N/A	N/A N/A		Yes Yes
AIX 5.2				·	· ·	No	
AIX 5.2	1-Sep-2007 Not Announced	N/A	N/A	N/A	N/A	No No	Yes
AIX 5.2 AIX 5.3	1-Sep-2007 Not Announced Not Announced	N/A N/A	N/A N/A	N/A N/A	N/A N/A	No No No	Yes Yes

Appendix G: Hardware Purchase Dates - AQ

	Purchased
	In
	(Mo/Yr)
Current AQ Systems	
Production – P680 12w	8/2001
Production – Netfinity Model	7/2001
8682) (6)	
Production Netfinity (Model	7/2001
8658) (2P)	
Dev/Test – P660 4w	1/2002
Dev/Test – Netfinity (Model	7/2001
8658) (2)	
Compaq GFE	2001
SSA Disk System (7133/D40)	7/2001,
	1/2002
Tape Library & Drives (3583)	8/2001

Appendix H: AQ OS/Software Compatibility Matrix

Current Products	EOS Date	AIX 5.1	AIX 5.2	AIX 5.3	Oracle 9i	Oracle 10g	Microstrategy 7.2.2
AIX 5.1	1-Apr-2006	Yes	N/A	N/A	Yes	No	Yes
Windows 2000	1-Jan-2010	N/A	N/A	N/A	Yes	Yes	Yes
Tivoli Storage Manager (TSM) V5.2		Yes	Yes	Yes	Yes	Yes	Yes
DB2 Universal Database V8.1.1	Not Announced	Yes	Yes	Yes	N/A	N/A	Yes
Rational ClearCase V2003.06.13	Not Announced	Yes	Yes	Yes	N/A	N/A	N/A
Rational ClearQuest V2003.06.13	Not Announced	Yes	Yes	Yes	N/A	N/A	N/A
Future Products	EOS Date	AIX 5.1	AIX 5.2	AIX 5.3	Oracle 9i	Oracle 10g	Microstrategy 7.2.2
Future Products AIX 5.2		AIX 5.1 N/A	AIX 5.2 N/A	AIX 5.3	Oracle 9i Yes	Oracle 10g Yes	
AIX 5.2							7.2.2
AIX 5.2 AIX 5.3	1-Sep-2007	N/A	N/A	N/A	Yes	Yes	7.2.2 Yes
AIX 5.2 AIX 5.3 Windows 2003 Oracle 10g	1-Sep-2007 Not Announced Not Announced Not Announced	N/A N/A	N/A N/A	N/A N/A	Yes Yes	Yes Yes	7.2.2 Yes Yes
AIX 5.2 AIX 5.3 Windows 2003 Oracle 10g	1-Sep-2007 Not Announced Not Announced	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A	Yes Yes Yes	Yes Yes Yes	7.2.2 Yes Yes No